

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Te	echnology Co., Ltd	Manufacturer:	Shanghai JA Solar Technology Co., Ltd	
Address:	No. 118, Lane 3111, Road, Fengxian Distr Shanghai	•	Address:	No. 118, Lane 3111, West Huancheng Road, Fengxian District, 201401 Shanghai	
Country: Contact: Phone: FAX: Email:	P. R. China Wang Yongbo +86-21-37181101 +86-21-37181234 wangyb@jasolar.com		Country: Contact: Phone: FAX: Email:	P. R. China Wang Yongbo +86-21-37181101 +86-21-37181234 wangyb@jasolar.com	
Party Authorized To Apply Mark: Report Issuing Office:		Same as Manufacture Intertek Testing Servio	-		
Control Number: 4001505		Authorized by:		allow for	
			for L. Ma	tthew Snyder, Certification Manager	
Intertek This document supersedes all previous Authorizations to Mark for the noted Report Number.					

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production guality control and do not relieve the Client of their obligations in this respect.



Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic modules
	JASOLAR 晶澳
Models:	JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM60S09- followed by 370, 375, 380, 385, 390 or 395 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM60S09- followed by 375, 380 or 385 followed by /BP, JAM72S09- followed by 315 or 320 followed by /BP, JAM60S09- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM60S10- followed by 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12-385/PR.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Hefei JA Solar Technology Co., Ltd **Applicant:** Shanghai JA Solar Technology Co., Ltd Manufacturer: No. 118, Lane 3111, West Huancheng No. 999, Changning Road, Hi-tech Zone, Address: Road, Fengxian District, 201401 Address: Hefei City, 230088, ANHUI Shanghai P. R. China P. R. China Country: **Country:** Wang Yongbo Wang Zhi Contact: Contact: Phone: +86-21-37181101 Phone: +86-0551-67190954 FAX: +86-21-37181234 FAX: +86-0551-5305533Email: wangyb@jasolar.com Email: wangzhi@jasolar.com Same as Manufacturer Party Authorized To Apply Mark: **Report Issuing Office:** Intertek Testing Services Shanghai Control Number: 4005519 Authorized by: for L. Matthew Snyder, Certification Manager Intertek

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek avertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM60S10- followed by 370, 375, 380, 385, 390 or 395 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM60S09- followed by 375, 380 or 385 followed by /BP, JAM72S09- followed by 315 or 320 followed by /BP, JAM60S09- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM60S10- followed by 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12-385/PR.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shar	nghai JA Solar Te	chnology Co., Ltd	Manufacturer:	VINA SOLAR TECHNOLOGY CO., LTD
Address:	No. 118, Lane 3111, V ress: Road, Fengxian Distri Shanghai		-	Address:	FACTORY E12, LOT CN-03, Van Trung Industrial park, Bac Giang
Country: Contact: Phone: FAX: Email:	P. R. China Wang Yongbo +86-21-37181101 +86-21-37181234 wangyb@jasolar.com			Country: Contact: Phone: FAX: Email:	Vietnam Li Weimin +0086-18662191566 - weimin.li@vinasolar.com
Party Authorized To Apply Mark: Report Issuing Office:			Same as Manufacture Intertek Testing Servic	-	
Control Number: 5001344		5001344	Authorized by:	prized by:	
				for L. Mat	thew Snyder, Certification Manager
	This				or the noted Report Number

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic modules
	JA SOLAR 晶澳
Models:	JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM60S10- followed by 370, 375, 380, 385, 390 or 395 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM60S09- followed by 375, 380 or 385 followed by /PR, JAM72S09- followed by 315 or 320 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM60S09- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12-385/PR.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shan	nghai JA Solar Te	chnology Co., Ltd	Manufacturer:	JA SOLAR CO., LTD.
Address:		18, Lane 3111, V I, Fengxian Distric Ighai	-	Address:	Jinglong Street, Ningjin County, Hebei Province, 055550
Country: Contact: Phone: FAX: Email:	Wang +86-2 +86-2	China g Yongbo 21-37181101 21-37181234 ŋyb@jasolar.com		Country: Contact: Phone: FAX: Email:	P. R. China Sally Wang +86-0319-5808 063 - wangsl@jasolar.com
Party Authorized To Apply Mark: Report Issuing Office:		Same as Manufacture Intertek Testing Servic	-		
Control Number: 5005173			Authorized by:		autin for
			-	for L. Mat	thew Snyder, Certification Manager
			Enterte		or the noted Pepert Number

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM60S10- followed by 370, 375, 380, 385, 390 or 395 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM60S09- followed by 375, 380 or 385 followed by /BP, JAM72S09- followed by 315 or 320 followed by /BP, JAM60S09- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM60S10- followed by 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12-385/PR.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant: Shanghai JA Solar Technology Co			echnology Co., Ltd	Manufacturer:	HT SOLAR VIETNAM LIMITED COMPANY
Address:	Roa	118, Lane 3111, \ d, Fengxian Distri nghai	•	Address:	F3 lot, factory F3-1, F3-2, Trang Due Industrial Park, An Duong District, a part of Dinh Vu - Cat Hai Economic Zone, An Duong Haiphong, 180000, Ho Chi Minh City
Country:	P. R	. China		Country:	Vietnam
Contact:		ng Yongbo		Contact:	ZHANG JIE
Phone:		-21-37181101		Phone:	+84 1277211699
FAX:		-21-37181234		FAX:	-
Email:	wan	gyb@jasolar.com		Email:	zhangjie@htsolargroup.com
Party Authorized To Apply Mark: Report Issuing Office:		Same as Manufacture Intertek Testing Servio			
Control Number:		5008860	Authorized by:		allow for
			-	for L. Ma	tthew Snyder, Certification Manager
			LISTED Intert	j) us ek	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM60S10- followed by 370, 375, 380, 385, 390 or 395 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM60S09- followed by 375, 380 or 385 followed by /BP, JAM72S09- followed by 315 or 320 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM60S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12-385/PR.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shanghai JA Solar Techi	nology Co., Ltd	Manufacturer:	VIET NAM GREEN ENERGY TECHNOLOGY COMPANY LIMITED
Address:	No. 118, Lane 3111, We Road, Fengxian District, Shanghai	-	Address:	No. 6, TS3 Road, Tien Son Industrial Zone, Hoan Son Commune, Tien Du District, Tien Son City, Bac Ninh Province, 221940
Country: Contact: Phone: FAX: Email:	P. R. China Wang Yongbo +86-21-37181101 +86-21-37181234 wangyb@jasolar.com		Country: Contact: Phone: FAX: Email:	Vietnam Li Jian +84 961 183 212 - jian.li@vngreenenergy.com
Party Authorized To Apply Mark: Report Issuing Office:		ame as Manufacture tertek Testing Servio		
Control Number: 5014600		Authorized by:	y:	
			for L. Ma	tthew Snyder, Certification Manager
		(FT) CISTED	US	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

Intertek

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic modules
Brand Name:	JA SOLAR 晶澳
Models:	JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM60S10- followed by 370, 375, 380, 385, 390 or 395 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM60S09- followed by 375, 380 or 385 followed by /BP, JAM72S09- followed by 315 or 320 followed by /BP, JAM60S09- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 320, 325 or 330 followed by /BP, JAM60S10- followed by 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12-385/PR.



This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	Shar	nghai JA Solar Teo	chnology Co., Ltd	Manufacturer:	JA Solar (Xingtai) Co., Ltd.
Address:	Road	118, Lane 3111, V d, Fengxian Distric nghai	-	Address:	No. 1688, Chang An Road, Xingtai Economic Development Area, Xingtai City, Hebei Province 054000
Country: Contact: Phone: FAX: Email:	Wan +86-2 +86-2	. China g Yongbo 21-37181101 21-37181234 gyb@jasolar.com		Country: Contact: Phone: FAX: Email:	P. R. China Wang Shizhao +86 0319 3929895 - wangsz@jasolar.com
Party Authorized To Apply Mark: Report Issuing Office:		Same as Manufacture Intertek Testing Servic			
Control Number: 5016163		5016163	Authorized by:		author for
				for L. Mat	tthew Snyder, Certification Manager
			Interte	jus ek	

This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Standard(s):	Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1: Test Requirements [UL 61215-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 1-1: Special Requirements For Testing Of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2017 Ed.1] Terrestrial Photovoltaic (PV) Modules - Design Qualification And Type Approval - Part 2: Test Procedures [UL 61215-2:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements For Construction [UL 61730-1:2017 Ed.1] Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements For Testing [UL 61730-2:2017 Ed.1]
Product:	Crystalline Silicon Photovoltaic modules
	JASOLAR 晶澳
Models:	JAM72S03-385/PR, JAP72S03-340/SC, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MB, JAM60S10- followed by 330, 335, 340 or 345 followed by /MB, JAM72S10- followed by 395, 400, 405, 410 or 415 followed by /MR, JAM66S10- followed by 365, 365, 370, 375 or 380 followed by /MR, JAM60S10- followed by 330, 335, 340 or 345 followed by /MR, JAM60S10- followed by 370, 375, 380, 385, 390 or 395 followed by /PR, JAM60S09- followed by 310, 315, 320 or 325 followed by /PR, JAM60S09- followed by 375, 380 or 385 followed by /BP, JAM72S09- followed by 315 or 320 followed by /BP, JAM60S09- followed by 315 or 320 followed by /BP, JAM60S10- followed by 385, 390, 395 or 400 followed by /BP, JAM60S10- followed by 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 380, 385, 390, 395, 400 or 405 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM60S10- followed by 320, 325, 330 or 335 followed by /PR, JAM72S12-385/PR.